

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	(load\$5 same first same second same (protocol adj stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:27
S2	11	(load\$5 same first same second same (protocol adj stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:07
S3	24	(load\$5 same ((first or second) with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:08
S4	10	(load\$5 same ((first or second) near3 (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:13
S5	4	(load\$5 same ((first and second) with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:15
S6	6	((load\$5 and unload\$4) with (protocol adj stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16
S7	8	((load\$5 and unload\$4) same (protocol adj stack)) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:16
S8	5	((unload\$5 with (protocol adj stack)) same (load\$4 with (protocol adj stack)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:23
S9	1	((unload\$5 with (protocol adj stack)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:36

S10	1	((unload\$5 with (stack)) same protocol same (load\$4 with (stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:25
S11	5	((unload\$5 near3 (protocol adj stack)) and (load\$4 near3 (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:26
S12	15	(load\$5 same ((first or second) near2 (protocol adj stack)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:27
S13	10	(load\$5 same ((first or second) near2 (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:27
S14	0	(((((kill\$5 with process) or (stop\$5 with service)) with (protocol)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:36
S15	0	(((((kill\$5 with process) or (stop\$5 with program)) with (protocol)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:37
S16	0	(((((kill\$5 with process) or (stop\$5 with application)) with (protocol)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:37
S18	0	(((((kill\$5 with process) or (exit\$4 with application)) with (protocol)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:37
S19	0	((((exit\$4 or abort\$5) with (protocol)) same (load\$4 with (protocol adj stack))) and @ad<"20010314"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:37